


# VINYL-INSULATED RING TERMINALS (DIN STANDARD)

- Insulation support helps to prevent wire damage in bending applications
- Material: Copper tube with tin plated end sleeves with insulation PVC



Part No.	Color	Wire Range		Dimension mm (inch)				Stud Size	
		sq. mm.	AWG	B	d2	L	t	mm	inch
VDR2.5-1B	Red	0.5-1.5	22-16	6.0 (0.24)	2.7 (0.11)	19.0 (0.75)	0.8 (0.03)	M2.6	#3
VDR3-1B	Red	0.5-1.5	22-16	6.0 (0.24)	3.2 (0.13)	19.0 (0.75)	0.8 (0.03)	M3	#5
VDR3.5-1B	Red	0.5-1.5	22-16	6.0 (0.24)	3.7 (0.15)	19.0 (0.75)	0.8 (0.03)	M3.5	#6
VDR4-1B	Red	0.5-1.5	22-16	8.0 (0.31)	4.3 (0.17)	21.0 (0.83)	0.8 (0.03)	M4	#8
VDR5-1B	Red	0.5-1.5	22-16	10.0 (0.39)	5.3 (0.21)	23.0 (0.91)	0.8 (0.03)	M5	#10
VDR6-1B	Red	0.5-1.5	22-16	11.0 (0.43)	6.5 (0.26)	25.5 (1.00)	0.8 (0.03)	M6	1/4"
VDR3-2.5B	Blue	1.5-2.5	16-14	6.0 (0.24)	3.2 (0.13)	20.0 (0.79)	0.8 (0.03)	M3	#5
VDR3.5-2.5B	Blue	1.5-2.5	16-14	6.0 (0.24)	3.7 (0.15)	20.0 (0.79)	0.8 (0.03)	M3.5	#6
VDR4-2.5B	Blue	1.5-2.5	16-14	8.0 (0.31)	4.3 (0.17)	22.0 (0.87)	0.8 (0.03)	M4	#8
VDR5-2.5B	Blue	1.5-2.5	16-14	10.0 (0.39)	5.3 (0.21)	25.0 (0.98)	0.8 (0.03)	M5	#10
VDR6-2.5B	Blue	1.5-2.5	16-14	11.0 (0.43)	6.5 (0.26)	27.5 (1.08)	0.8 (0.03)	M6	1/4"
VDR8-2.5B	Blue	1.5-2.5	16-14	14.0 (0.55)	8.4 (0.33)	30.0 (1.18)	0.8 (0.03)	M8	5/16"
VDR4-6B	Yellow	4.0-6.0	12-10	8.0 (0.31)	4.3 (0.17)	24.0 (0.94)	1.0 (0.04)	M4	#8
VDR5-6B	Yellow	4.0-6.0	12-10	10.0 (0.39)	5.3 (0.21)	26.0 (1.02)	1.0 (0.04)	M5	#10
VDR6-6B	Yellow	4.0-6.0	12-10	11.0 (0.43)	6.5 (0.26)	27.5 (1.08)	1.0 (0.04)	M6	1/4"
VDR8-6B	Yellow	4.0-6.0	12-10	14.0 (0.55)	8.4 (0.33)	32.0 (1.26)	1.0 (0.04)	M8	5/16"
VDR10-6B	Yellow	4.0-6.0	12-10	18.0 (0.71)	10.5 (0.41)	36.0 (1.42)	1.0 (0.04)	M10	3/8"
VDR12-6B	Yellow	4.0-6.0	12-10	19.0 (0.75)	13.0 (0.51)	41.5 (1.63)	1.0 (0.04)	M12	1/2"

\*DIN46237